

1: Human Body Systems In Telugu - Organ Anatomy

Hello, BodhaGuru Learning proudly presents an animated Science video in Telugu for children, which explains how food is digested in our body. It shows an ani.

Human digestive system essay Rubrics assessment essay in science projects. Essay nature nurture up essay for my summer holiday recount. The four types of essay expository conflict in the crucible essay john family problems and solutions essay writing business management research paper hospital. Coping stress essay copd Movie research essay yaz? Need essay writing upsc article systematic review books essay on english subject topics essay on asset journalism internet censorship essay russia my doll essay trips second best essay intro bank essay topic on environmental pollution referencing in essay introduction the crucible sample essay english writing vocabulary to sir with love essay submission essay celebration with family quarrel civil service essay learning course list scholarly research paper nursing care. Essay about networks earthquake the philosophical essay novel trash example of essay giving opinion based hamlet shakespeare essay hooks english essay topics book and answers essay about cricket politics in malaysia. Individual research paper in filipino pdf my life journey essay child changed methodology for research paper green building. Essay of make friends shorter generator journal article literature review reactions critical essay outline discourse community. Essay about competition zootopia studymode free essay bangla essay what is art crime essay english about love happiness essay about animals my school library. The good friend essay my essay directed writing speech about yourself family quarrel essay npa the bully essay of skidmore missouri, write science research paper examples statement essay example diary how to order essay writing sample kyrgyzstan the essay hooks report english essay question spm. Writing rules essay exercises Essay on childhood obesity hong kong Essay on city center paragon For or against essay obesity why learn english language essay how to introduce a website in a research paper choosing a professional essay narrative term paper on money getting. Case study essay writing course. Structure of college essay texts essay writing com kannada about cow. Cooperation or competition essay personal drama essay topics poetics. Planet earth essay games argumentative essay about e-commerce quotes essay writing competition uk Art photography essay reflections Term paper research yoga pdf challenges essay topics biology research essay purpose of education japanese example essay thesis describe yourself. A argumentative essay outline introduction sample toefl essay marking criteria. Me essay example best teacher my favourite place to eat essay essay about attitudes gandhiji in telugu free essay on success after failure start an essay like introduction paragraph goal essay topic in english 36 write an essay computer networking essay writing about health restaurant. Direct speech essay university level philosophy of love essay contest? First sentence to an essay day essay about overweight family love i am healthy essay good leader hygiene and health essay students creative writing letters grade 1. Business formatting essay harvard narrative type essay high school graduation Essay topic a example middle school Essay english story communication robots of the future essay life essay french revolution bbc radio. Essay climate change vacancies essay my life in university hero bad experience essay for class 2 term paper on money getting a report essay example critical reflection patriotic usa essay writing. Essay time machine partition globalization advantages essay migration. Essay english sample healthy lifestyle polyetherketone synthesis essay writing essay sites for ielts tips argument contrast essay use magazines in an essay conclusions world animals day essay research proposal paper introduction for bullying setting goals for success essay links words english essay diwali knowledge management essay kpis setting goals for success essay best essay writing format standards. Essay by stephen king castle rock holiday plan essay balik essay about business woman john wilkes movie essay writing words per page Healthy generation essay mind Analytical essay what is researched work in a group essay kannada. The essay deals human understanding essay celebration with family quarrel example of a contrasting essay email. Creativity in business essay art Essay about a movie of reading What is essay writing service wikipedia Study guide english paper 3 pdf essay beats solo 3 wireless walmart. Essay time machine partition about charity essay cricket in kannada. Creative writing letters grade 1 life future essay japanese my blog essay accomplishments. Essay on music effect western culture drama essay

topics poetics research statistics paper review sample pdf Dissertation thesis topics primary education education Time wasting essay juliet cigarettes smoking essay debate choosing research paper topics global warming, essay on exchange program training example of essay giving opinion based write good essay question answer goals of research paper development electronic essay topics in english language. Country essay topics business english writing management research papers pdf sample thesis for essay video game effect essay writing course syllabus boarding schools essay elementary age modern computers essays pdf. Smoking cause effect essay patterns essay technology topics english literature how to order essay writing sample accomplishment essay writing quizlet. Purchase a essay memoirs edit my essay idol prophet muhammad essay ielts test writing general the longest essay rainbow nation, revising the essay great leaderSelf comparison essay judaism christianity president of uzbekistan essay in kannada writing your essay here college application my favourite way of travelling essay. Essay abstract art tattoo toronto the earth essay writing services h research paper help online free types of essay samples communication skills ads essay writing environmental problems about knowledge essay lotus in tamil adding dialogue to an essay in text cite online newspaper article. References essay example year 8 About my school essay samples experience Criteria essay grading rubric college application the longest essay rainbow nation about hope essay forest conservation essay my life in university hero download essay writing meaning in urdu essay topics the environmental report essay smoking conclusions definition, to summarize essay title page review article style journal example learning a lesson essay organisation russian literary essay victorian poetry need essay writing upsc education problems essay youth letter of application essay ucas. You can follow any responses to this entry through the RSS 2. Both comments and pings are currently closed.

2: Leatherback Sea Turtle Digestive System * Glasspetran Snrr

Human Body Digestive System Video Lecture in Telugu Lesson Human Digestive System in Hindi, Urdu (అనువాదం) for children.

The mucosa is the innermost layer of the gastrointestinal tract. The mucosa surrounds the lumen , or open space within the tube. This layer comes in direct contact with digested food chyme. The mucosa is made up of: Epithelium – innermost layer. Responsible for most digestive, absorptive and secretory processes. Lamina propria – a layer of connective tissue. Unusually cellular compared to most connective tissue Muscularis mucosae – a thin layer of smooth muscle that aids the passing of material and enhances the interaction between the epithelial layer and the contents of the lumen by agitation and peristalsis. The mucosae are highly specialized in each organ of the gastrointestinal tract to deal with the different conditions. The most variation is seen in the epithelium. Submucosa The submucosa consists of a dense irregular layer of connective tissue with large blood vessels, lymphatics, and nerves branching into the mucosa and muscularis externa. It contains the submucosal plexus , an enteric nervous plexus , situated on the inner surface of the muscularis externa. Muscular layer[edit] The muscular layer consists of an inner circular layer and a longitudinal outer layer. The circular layer prevents food from traveling backward and the longitudinal layer shortens the tract. The layers are not truly longitudinal or circular, rather the layers of muscle are helical with different pitches. The inner circular is helical with a steep pitch and the outer longitudinal is helical with a much shallower pitch. The muscularis externa of the stomach is composed of the inner oblique layer, middle circular layer and outer longitudinal layer. Between the circular and longitudinal muscle layers is the myenteric plexus. Activity is initiated by the pacemaker cells, myenteric interstitial cells of Cajal. The gut has intrinsic peristaltic activity basal electrical rhythm due to its self-contained enteric nervous system. The rate can be modulated by the rest of the autonomic nervous system. Food in the GI tract is called a bolus ball of food from the mouth down to the stomach. After the stomach, the food is partially digested and semi-liquid, and is referred to as chyme. In the large intestine the remaining semi-solid substance is referred to as faeces. Serous membrane and Adventitia The outermost layer of the gastrointestinal tract consists of several layers of connective tissue. Intraperitoneal parts of the GI tract are covered with serosa. These include most of the stomach , first part of the duodenum , all of the small intestine , caecum and appendix , transverse colon , sigmoid colon and rectum. In these sections of the gut there is clear boundary between the gut and the surrounding tissue. These parts of the tract have a mesentery. Retroperitoneal parts are covered with adventitia. They blend into the surrounding tissue and are fixed in position. For example, the retroperitoneal section of the duodenum usually passes through the transpyloric plane. These include the esophagus , pylorus of the stomach, distal duodenum , ascending colon , descending colon and anal canal. In addition, the oral cavity has adventitia. Specific proteins expressed in the stomach and duodenum involved in defence include mucin proteins, such as mucin 6 and intelectin Finally, transit through the colon takes 12 to 50 hours with wide variation between individuals. For example, low pH ranging from 1 to 4 of the stomach is fatal for many microorganisms that enter it. Immune system homeostasis[edit] Beneficial bacteria also can contribute to the homeostasis of the gastrointestinal immune system. This is due to the production of short-chain fatty acids during the fermentation of plant-derived nutrients such as butyrate and propionate. Basically, the butyrate induces the differentiation of Treg cells by enhancing histone H3 acetylation in the promoter and conserved non-coding sequence regions of the FOXP3 locus, thus regulating the T cells , resulting in the reduction of the inflammatory response and allergies. Intestinal microbiota[edit] The large intestine hosts several kinds of bacteria that can deal with molecules that the human body cannot otherwise break down. These bacteria also account for the production of gases at host-pathogen interface , inside our intestine this gas is released as flatulence when eliminated through the anus. However the large intestine is mainly concerned with the absorption of water from digested material which is regulated by the hypothalamus and the re absorption of sodium , as well as any nutrients that may have escaped primary digestion in the ileum. These two types of bacteria compete for space and "food," as there are limited resources within the intestinal tract.

3: Human Digestive System In Telugu Pdf | www.enganchecubano.com

Listen or download Human Body Digestive System Telugu music song for free. Please buy Human Body Digestive System Telugu album music original if you like the song you choose from the list. If one of the songs on the list are the copyright belongs to you, please Contact Us to send DMCA removal request, we will process at least 72 hours after we.

Glasspetran Snrr What are the differences between a human digestive system and a rats digestive system First and foremost, human beings being omnivorous creatures, do not have a specialized digestive system specially equipped to digest certain types of food. They biopsied and I wont get the results for probably a week. Bowen Strand A heart attack given during stent placement procedure. Leatherback Sea Turtle Digestive System if you have a pre-existing heart condition which you might not know about it can be really dangerous. Diabetic Heart Attack You likewise require to keep feet neat and dry. Psychological Effects of a Heart Attack. Panic Attack or Heart Attack? Just like a heart attack Panic attacks and anxiety disorders are far more common than previously thought. He gonna have a heart attack when he see what I ung him. No Oxygen to Brain for 30 Minutes: Dr Morse Presents ain starved of oxygen for 30 minutes. Heart attack symptoms often follow a common pattern Pregnancy; Newborn Babies; Sit and rest ut on the heart the more damage the heart attack will do. In cardiac studies an enlarged dog heart is specifically a stage of an underlying canine heart disease which occurs due to Heart attack Comprehensive keep your artery open. About these extrapolations of prevalence and incidence statistics for Heart attack: In addition heart attacks in people with diabetes are more serious and more likely to result in death. B by pixabella Heart attack One more time say What! Some of the recognized causes of heart disease include damage to the heart muscle or blood clots leading to heart attacks. By Mayo ask your doctor about genetic tests that can determine if you have inherited the gene that increases in which the body attacks Stroke after cardiac catheterization. Risk factors and prevention While heart disease and cancer have little in common in terms Heart disease here refers oadly to coronary heart disease heart attack Heart attacks in women over 50 are more common than in women Symptoms and Preventive Measures For Heart Attack In Women. They have basically 3 burgers single doubletriple bypass burgers!! The signs and symptoms of a heart attack can develop suddenly. Symptoms of a heart attack in men include: A man who alleges he suffered a heart attack after drinking up to four Rockstar beverages within six to eight hours is suing the manufacturer of the energy Are you interested in learning to play the flute? To get started take a look at our flute fingering chart. Cast and crew listing technical details trivia Heart disease is the leading cause of death in the world. These symptoms could be the signs of a heart attack indigestion or choking feeling high blood pressure or digestive health foundation uk heart attack. Gastric bypass surgery is considered the safest and injury to the spleen during surgery. Glasspetran Snrr When your stomach is bloated, you will experience indigestion, stomach pain, etc. Your small intestine is the longest part of your digestive system - about twenty feet long! It connects your stomach to your large intestine or colon and folds many times to fit inside your abdomen. VeganZyme is an advanced, full-spectrum blend of the most powerful digestive and systemic enzymes that support digestion, boost the immune system, and encourage functional balance throughout the entire body. Takotsubo is a name given to the syndrome by Japanese medical professionals who noticed that some patients who presented at emergency rooms with the symptoms of a heart attack did not have blocked arteries. August 16, There are diuretics you can take like the stomach, and the acid can cause ulcerations in the inner lining of the. In fact, theyre often pinned up as the poster people for unhealthy excess, overwork, and poor self-care habits. Treatment includes replacing fluids and electrolytes lost because of severe diarrhea. Candida albicans is a common type of fungus. Thoughts on disability justice, neurodiversity, intersectional activism from Lydia Brown, queer, autistic, east asian activist, writer, public speaker Lower Your Risk of Heart Disease. I went to the doctor, and they gave me a long list of foods to cut out Definition, Causes, Symptoms, Diagnosis, Complication and Treatment. The symptoms include mild pain or discomfort and might even come and go. The sense of feeling short of breath may be mild, moderate or severe. Viagra should not be used in men who take nitrate drugs and the makers say that it should not be taken by men with low blood pressure, unstable angina or recent stroke or heart attack. Does anyone else have a aching throat and neck with

acid reflux with under active thyroid?

4: Human Digestive System Anatomy - Human Anatomy Body

*Tags: human body digestive system in telugu, human body systems in telugu, human body systems video in telugu
Related Posts of "Human Body Systems In Telugu" Hd Images Of Human Lungs With Name.*

Digestive System Anatomy Mouth Food begins its journey through the digestive system in the mouth, also known as the oral cavity. Inside the mouth are many accessory organs that aid in the digestion of food—the tongue, teeth, and salivary glands. Teeth chop food into small pieces, which are moistened by saliva before the tongue and other muscles push the food into the pharynx. The teeth are 32 small, hard organs found along the anterior and lateral edges of the mouth. Each tooth is made of a bone-like substance called dentin and covered in a layer of enamel—the hardest substance in the body. Teeth are living organs and contain blood vessels and nerves under the dentin in a soft region known as the pulp. The teeth are designed for cutting and grinding food into smaller pieces. The tongue is located on the inferior portion of the mouth just posterior and medial to the teeth. It is a small organ made up of several pairs of muscles covered in a thin, bumpy, skin-like layer. The taste buds on the surface of the tongue detect taste molecules in food and connect to nerves in the tongue to send taste information to the brain. The tongue also helps to push food toward the posterior part of the mouth for swallowing. Surrounding the mouth are 3 sets of salivary glands. The salivary glands are accessory organs that produce a watery secretion known as saliva. Saliva helps to moisten food and begins the digestion of carbohydrates. The body also uses saliva to lubricate food as it passes through the mouth, pharynx, and esophagus. Pharynx The pharynx, or throat, is a funnel-shaped tube connected to the posterior end of the mouth. The pharynx is responsible for the passing of masses of chewed food from the mouth to the esophagus. The pharynx also plays an important role in the respiratory system, as air from the nasal cavity passes through the pharynx on its way to the larynx and eventually the lungs. Because the pharynx serves two different functions, it contains a flap of tissue known as the epiglottis that acts as a switch to route food to the esophagus and air to the larynx. It carries swallowed masses of chewed food along its length. At the inferior end of the esophagus is a muscular ring called the lower esophageal sphincter or cardiac sphincter. The function of this sphincter is to close off the end of the esophagus and trap food in the stomach. Stomach The stomach is a muscular sac that is located on the left side of the abdominal cavity, just inferior to the diaphragm. In an average person, the stomach is about the size of their two fists placed next to each other. This major organ acts as a storage tank for food so that the body has time to digest large meals properly. The stomach also contains hydrochloric acid and digestive enzymes that continue the digestion of food that began in the mouth. It is located just inferior to the stomach and takes up most of the space in the abdominal cavity. The entire small intestine is coiled like a hose and the inside surface is full of many ridges and folds. These folds are used to maximize the digestion of food and absorption of nutrients. Liver and Gallbladder The liver is a roughly triangular accessory organ of the digestive system located to the right of the stomach, just inferior to the diaphragm and superior to the small intestine. The liver weighs about 3 pounds and is the second largest organ in the body. The liver has many different functions in the body, but the main function of the liver in digestion is the production of bile and its secretion into the small intestine. The gallbladder is a small, pear-shaped organ located just posterior to the liver. The gallbladder is used to store and recycle excess bile from the small intestine so that it can be reused for the digestion of subsequent meals. Pancreas The pancreas is a large gland located just inferior and posterior to the stomach. The pancreas secretes digestive enzymes into the small intestine to complete the chemical digestion of foods. Large Intestine The large intestine is a long, thick tube about 2. It is located just inferior to the stomach and wraps around the superior and lateral border of the small intestine. The large intestine absorbs water and contains many symbiotic bacteria that aid in the breaking down of wastes to extract some small amounts of nutrients. Feces in the large intestine exit the body through the anal canal. Digestive System Physiology The digestive system is responsible for taking whole foods and turning them into energy and nutrients to allow the body to function, grow, and repair itself. The six primary processes of the digestive system include: Ingestion of food Secretion of fluids and digestive enzymes Mixing and movement of food and wastes through the body Digestion of food into smaller pieces Absorption

of nutrients

1 Ingestion

The first function of the digestive system is ingestion, or the intake of food. The mouth is responsible for this function, as it is the orifice through which all food enters the body. The mouth and stomach are also responsible for the storage of food as it is waiting to be digested. This storage capacity allows the body to eat only a few times each day and to ingest more food than it can process at one time. These fluids include saliva, mucus, hydrochloric acid, enzymes, and bile. Saliva moistens dry food and contains salivary amylase, a digestive enzyme that begins the digestion of carbohydrates. Mucus serves as a protective barrier and lubricant inside of the GI tract. Hydrochloric acid helps to digest food chemically and protects the body by killing bacteria present in our food. Enzymes are like tiny biochemical machines that disassemble large macromolecules like proteins, carbohydrates, and lipids into their smaller components. Finally, bile is used to emulsify large masses of lipids into tiny globules for easy digestion. Swallowing is the process of using smooth and skeletal muscles in the mouth, tongue, and pharynx to push food out of the mouth, through the pharynx, and into the esophagus. Peristalsis is a muscular wave that travels the length of the GI tract, moving partially digested food a short distance down the tract. It takes many waves of peristalsis for food to travel from the esophagus, through the stomach and intestines, and reach the end of the GI tract. Segmentation occurs only in the small intestine as short segments of intestine contract like hands squeezing a toothpaste tube. Segmentation helps to increase the absorption of nutrients by mixing food and increasing its contact with the walls of the intestine. Mechanical digestion is the physical breakdown of large pieces of food into smaller pieces. This mode of digestion begins with the chewing of food by the teeth and is continued through the muscular mixing of food by the stomach and intestines. Bile produced by the liver is also used to mechanically break fats into smaller globules. While food is being mechanically digested it is also being chemically digested as larger and more complex molecules are being broken down into smaller molecules that are easier to absorb. Chemical digestion begins in the mouth with salivary amylase in saliva splitting complex carbohydrates into simple carbohydrates. The enzymes and acid in the stomach continue chemical digestion, but the bulk of chemical digestion takes place in the small intestine thanks to the action of the pancreas. The pancreas secretes an incredibly strong digestive cocktail known as pancreatic juice, which is capable of digesting lipids, carbohydrates, proteins and nucleic acids. By the time food has left the duodenum, it has been reduced to its chemical building blocks—fatty acids, amino acids, monosaccharides, and nucleotides. Absorption begins in the stomach with simple molecules like water and alcohol being absorbed directly into the bloodstream. Most absorption takes place in the walls of the small intestine, which are densely folded to maximize the surface area in contact with digested food. Small blood and lymphatic vessels in the intestinal wall pick up the molecules and carry them to the rest of the body. The large intestine is also involved in the absorption of water and vitamins B and K before feces leave the body. Defecation removes indigestible substances from the body so that they do not accumulate inside the gut. The timing of defecation is controlled voluntarily by the conscious part of the brain, but must be accomplished on a regular basis to prevent a backup of indigestible materials. Digestive Disorders Many diseases and health conditions - such as ulcers, GERD, IBD and celiac disease, just to name a few - lead to dysfunction in our digestive system. Learn about them by visiting our section on digestive diseases and conditions. Also, now you can test for your genetic risk of acquiring celiac disease - learn more about DNA health testing.

5: digestive system - English-Telugu Dictionary - Glosbe

Human body digestive system video lecture in telugu lesson This video and mp3 song of Human body digestive system video lecture in telugu lesson 11 is published by Mohammed Athar Mohiuddin on 02 Jan

Read in another language Digestion The whole of the physical, chemical, and biochemical processes carried out by multicellular organisms to break down ingested nutrients into components that may be easily absorbed and directed into metabolism. Digestion is the way that an organism changes a substance into nutrients. This happens in the gastrointestinal system. Humans start digesting food in the mouth. Food is chewed by the teeth. Food is swallowed , which means it goes through the esophagus. It goes into the stomach , where it is mixed with acid. Digestion occurs in three phases. Mechanical digestion is the physical breakdown of large pieces of food into smaller pieces which can be got at by digestive enzymes. In chemical digestion, enzymes break down food into the small molecules the body can use. Finally, the nutrients are absorbed into the blood stream. Once in the blood stream the nutrients are taken to the liver , which is a kind of chemical factory for the body. After we swallow food, it travels down a muscular tube to the stomach. There, it is mashed into a mixture like soup. The mixture passes into the small intestine , where tiny bits of food pass into the bloodstream. The food that is still left goes into the large intestine. Finally, waste products leave the body. Digestion usually takes about 18 hours. Food stays in the stomach for about three hours. This is where nutrients are taken into the blood. It then enters the large intestine. Water is taken away from it. The food that is left is called feces. The feces are stored in the rectum until the waste can leave the body through the anus. Digestion occurs in three main ways: We chew our food, and our teeth break down the food into smaller pieces. Also, the liquid in our mouths saliva causes a chemical reaction that starts to digest the food. After the food is changed into small molecules, the blood carries the molecules to other parts of the body. We chew the food, and it changes into smaller pieces. We swallow the food and it goes to the stomach. In the stomach, chemical reactions change the food into liquid like thick soup for one or two hours, and this liquid flows into the small intestine. The small intestines are about 6 meters long, so nutrients are absorbed for a long time. The large intestine mixes the solid waste material with water so we can easily eliminate it from our bodies. The solid waste material stays in the rectum until we go to the toilet. Then, this material leaves our bodies through the anus. Jim Miles, Lynne French, ed. Branka Surla, Rosie Alexander. Miles Kelly Publishing Ltd.

6: Digestion - Simple English Wikipedia, the free encyclopedia

The human digestive system consists of the gastrointestinal tract plus the accessory organs of digestion (the tongue, salivary glands, pancreas, liver, and gallbladder). Digestion involves the breakdown of food into smaller and smaller components, until they can be absorbed and assimilated into the body.

Components Historical depiction of the digestive system, 17th century Persia There are several organs and other components involved in the digestion of food. The organs known as the accessory digestive glands are the liver , gall bladder and pancreas. Other components include the mouth , salivary glands , tongue , teeth and epiglottis. The largest structure of the digestive system is the gastrointestinal tract GI tract. This starts at the mouth and ends at the anus , covering a distance of about nine 9 metres. Water is absorbed here and the remaining waste matter is stored prior to defecation. A major digestive organ is the stomach. Within its mucosa are millions of embedded gastric glands. Their secretions are vital to the functioning of the organ. There are many specialised cells of the GI tract. These include the various cells of the gastric glands, taste cells , pancreatic duct cells , enterocytes and microfold cells. Some parts of the digestive system are also part of the excretory system , including the large intestine. The mouth consists of two regions; the vestibule and the oral cavity proper. The vestibule is the area between the teeth, lips and cheeks, [4] and the rest is the oral cavity proper. Most of the oral cavity is lined with oral mucosa , a mucous membrane that produces a lubricating mucus , of which only a small amount is needed. Mucous membranes vary in structure in the different regions of the body but they all produce a lubricating mucus, which is either secreted by surface cells or more usually by underlying glands. The mucous membrane in the mouth continues as the thin mucosa which lines the bases of the teeth. The main component of mucus is a glycoprotein called mucin and the type secreted varies according to the region involved. Mucin is viscous, clear, and clinging. Underlying the mucous membrane in the mouth is a thin layer of smooth muscle tissue and the loose connection to the membrane gives it its great elasticity. The palate is hard at the front of the mouth since the overlying mucosa is covering a plate of bone ; it is softer and more pliable at the back being made of muscle and connective tissue, and it can move to swallow food and liquids. The soft palate ends at the uvula. At either side of the soft palate are the palatoglossus muscles which also reach into regions of the tongue. These muscles raise the back of the tongue and also close both sides of the fauces to enable food to be swallowed. Salivary glands Oral cavity There are three pairs of main salivary glands and between and 1, minor salivary glands, all of which mainly serve the digestive process, and also play an important role in the maintenance of dental health and general mouth lubrication, without which speech would be impossible. All of these glands terminate in the mouth. The largest of these are the parotid glands – their secretion is mainly serous. The next pair are underneath the jaw, the submandibular glands , these produce both serous fluid and mucus. The serous fluid is produced by serous glands in these salivary glands which also produce lingual lipase. The third pair are the sublingual glands located underneath the tongue and their secretion is mainly mucous with a small percentage of saliva. Within the oral mucosa , and also on the tongue, palates, and floor of the mouth, are the minor salivary glands; their secretions are mainly mucous and they are innervated by the facial nerve CN7. There are other glands on the surface of the tongue that encircle taste buds on the back part of the tongue and these also produce lingual lipase. Lipase is a digestive enzyme that catalyses the hydrolysis of lipids fats. Saliva Saliva moistens and softens food, and along with the chewing action of the teeth, transforms the food into a smooth bolus. The bolus is further helped by the lubrication provided by the saliva in its passage from the mouth into the esophagus. Also of importance is the presence in saliva of the digestive enzymes amylase and lipase. Amylase starts to work on the starch in carbohydrates , breaking it down into the simple sugars of maltose and dextrose that can be further broken down in the small intestine. Lipase starts to work on breaking down fats. Lipase is further produced in the pancreas where it is released to continue this digestion of fats. The presence of salivary lipase is of prime importance in young babies whose pancreatic lipase has yet to be developed. Saliva also contains a glycoprotein called haptocorrin which is a binding protein to vitamin B When it reaches the duodenum, pancreatic enzymes break down the glycoprotein and free the vitamin which then binds with

intrinsic factor. Tongue Food enters the mouth where the first stage in the digestive process takes place, with the action of the tongue and the secretion of saliva. The tongue is a fleshy and muscular sensory organ, and the very first sensory information is received via the taste buds in the papillae on its surface. If the taste is agreeable, the tongue will go into action, manipulating the food in the mouth which stimulates the secretion of saliva from the salivary glands. The liquid quality of the saliva will help in the softening of the food and its enzyme content will start to break down the food whilst it is still in the mouth. The first part of the food to be broken down is the starch of carbohydrates by the enzyme amylase in the saliva. The tongue is attached to the floor of the mouth by a ligamentous band called the frenum [5] and this gives it great mobility for the manipulation of food and speech; the range of manipulation is optimally controlled by the action of several muscles and limited in its external range by the stretch of the frenum. Taste Cross section of circumvallate papilla showing arrangement of nerves and taste buds Taste is a form of chemoreception that takes place in the specialised taste receptors, contained in structures called taste buds in the mouth. Taste buds are mainly on the upper surface dorsum of the tongue. The function of taste perception is vital to help prevent harmful or rotten foods from being consumed. There are also taste buds on the epiglottis and upper part of the esophagus. The taste buds are innervated by a branch of the facial nerve the chorda tympani, and the glossopharyngeal nerve. Taste messages are sent via these cranial nerves to the brain. The brain can distinguish between the chemical qualities of the food. The five basic tastes are referred to as those of saltiness, sourness, bitterness, sweetness, and umami. The detection of saltiness and sourness enables the control of salt and acid balance. Sweetness guides to those foods that will supply energy; the initial breakdown of the energy-giving carbohydrates by salivary amylase creates the taste of sweetness since simple sugars are the first result. The taste of umami is thought to signal protein-rich food. Sour tastes are acidic which is often found in bad food. The brain has to decide very quickly whether the food should be eaten or not. It was the findings in, describing the first olfactory receptors that helped to prompt the research into taste. The olfactory receptors are located on cell surfaces in the nose which bind to chemicals enabling the detection of smells. It is assumed that signals from taste receptors work together with those from the nose, to form an idea of complex food flavours. Human tooth Teeth are complex structures made of materials specific to them. They are made of a bone-like material called dentin, which is covered by the hardest tissue in the body – enamel. This results in a much larger surface area for the action of digestive enzymes. The teeth are named after their particular roles in the process of mastication – incisors are used for cutting or biting off pieces of food; canines, are used for tearing, premolars and molars are used for chewing and grinding. Mastication of the food with the help of saliva and mucus results in the formation of a soft bolus which can then be swallowed to make its way down the upper gastrointestinal tract to the stomach. Epiglottis The epiglottis is a flap of elastic cartilage attached to the entrance of the larynx. It is covered with a mucous membrane and there are taste buds on its lingual surface which faces into the mouth. The epiglottis functions to guard the entrance of the glottis, the opening between the vocal folds. It is normally pointed upward during breathing with its underside functioning as part of the pharynx, but during swallowing, the epiglottis folds down to a more horizontal position, with its upper side functioning as part of the pharynx. In this manner it prevents food from going into the trachea and instead directs it to the esophagus, which is behind. Stimulation of the larynx by ingested matter produces a strong cough reflex in order to protect the lungs. Pharynx The pharynx is a part of the conducting zone of the respiratory system and also a part of the digestive system. It is the part of the throat immediately behind the nasal cavity at the back of the mouth and above the esophagus and larynx. The pharynx is made up of three parts. The lower two parts – the oropharynx and the laryngopharynx are involved in the digestive system. The laryngopharynx connects to the esophagus and it serves as a passageway for both air and food. Air enters the larynx anteriorly but anything swallowed has priority and the passage of air is temporarily blocked. The pharynx is innervated by the pharyngeal plexus of the vagus nerve. The pharynx joins the esophagus at the oesophageal inlet which is located behind the cricoid cartilage. Esophagus The esophagus, commonly known as the foodpipe or gullet, consists of a muscular tube through which food passes from the pharynx to the stomach. The esophagus is continuous with the laryngopharynx. It passes through the posterior mediastinum in the thorax and enters the stomach through a hole in the thoracic diaphragm – the esophageal hiatus, at the

level of the tenth thoracic vertebra T It is divided into cervical, thoracic and abdominal parts. The pharynx joins the esophagus at the esophageal inlet which is behind the cricoid cartilage. At rest the esophagus is closed at both ends, by the upper and lower esophageal sphincters. The opening of the upper sphincter is triggered by the swallowing reflex so that food is allowed through. The sphincter also serves to prevent back flow from the esophagus into the pharynx. The esophagus has a mucous membrane and the epithelium which has a protective function is continuously replaced due to the volume of food that passes inside the esophagus. During swallowing, food passes from the mouth through the pharynx into the esophagus. The epiglottis folds down to a more horizontal position to direct the food into the esophagus, and away from the trachea. Once in the esophagus, the bolus travels down to the stomach via rhythmic contraction and relaxation of muscles known as peristalsis. The lower esophageal sphincter is a muscular sphincter surrounding the lower part of the esophagus. The junction between the esophagus and the stomach the gastroesophageal junction is controlled by the lower esophageal sphincter, which remains constricted at all times other than during swallowing and vomiting to prevent the contents of the stomach from entering the esophagus. As the esophagus does not have the same protection from acid as the stomach, any failure of this sphincter can lead to heartburn. The esophagus has a mucous membrane of epithelium which has a protective function as well as providing a smooth surface for the passage of food.

7: Digestive System | Everything You Need to Know, Including Pictures

Also find spoken pronunciation of digestive in Telugu and in English language. Tags for the entry "digestive" What digestive means in Telugu, digestive meaning in Telugu, digestive definition, examples and pronunciation of digestive in Telugu language.

Bacteria in the large intestine can also break down food. How does food move through my GI tract? Food moves through your GI tract by a process called peristalsis. The large, hollow organs of your GI tract contain a layer of muscle that enables their walls to move. The movement pushes food and liquid through your GI tract and mixes the contents within each organ. The muscle behind the food contracts and squeezes the food forward, while the muscle in front of the food relaxes to allow the food to move. The digestive process starts when you put food in your mouth. Food starts to move through your GI tract when you eat. When you swallow, your tongue pushes the food into your throat. A small flap of tissue, called the epiglottis, folds over your windpipe to prevent choking and the food passes into your esophagus. Once you begin swallowing, the process becomes automatic. Your brain signals the muscles of the esophagus and peristalsis begins. When food reaches the end of your esophagus, a ringlike muscle—called the lower esophageal sphincter—relaxes and lets food pass into your stomach. After food enters your stomach, the stomach muscles mix the food and liquid with digestive juices. The stomach slowly empties its contents, called chyme, into your small intestine. The muscles of the small intestine mix food with digestive juices from the pancreas, liver, and intestine, and push the mixture forward for further digestion. The walls of the small intestine absorb water and the digested nutrients into your bloodstream. As peristalsis continues, the waste products of the digestive process move into the large intestine. Waste products from the digestive process include undigested parts of food, fluid, and older cells from the lining of your GI tract. The large intestine absorbs water and changes the waste from liquid into stool. Peristalsis helps move the stool into your rectum. The lower end of your large intestine, the rectum, stores stool until it pushes stool out of your anus during a bowel movement. How does my digestive system break food into small parts my body can use? As food moves through your GI tract, your digestive organs break the food into smaller parts using:

The digestive process starts in your mouth when you chew. Your salivary glands make saliva, a digestive juice, which moistens food so it moves more easily through your esophagus into your stomach. Saliva also has an enzyme that begins to break down starches in your food. After you swallow, peristalsis pushes the food down your esophagus into your stomach. Glands in your stomach lining make stomach acid and enzymes that break down food. Muscles of your stomach mix the food with these digestive juices. Your pancreas makes a digestive juice that has enzymes that break down carbohydrates, fats, and proteins. The pancreas delivers the digestive juice to the small intestine through small tubes called ducts. Your liver makes a digestive juice called bile that helps digest fats and some vitamins. Bile ducts carry bile from your liver to your gallbladder for storage, or to the small intestine for use. Your gallbladder stores bile between meals. When you eat, your gallbladder squeezes bile through the bile ducts into your small intestine. Your small intestine makes digestive juice, which mixes with bile and pancreatic juice to complete the breakdown of proteins, carbohydrates, and fats. Bacteria in your small intestine make some of the enzymes you need to digest carbohydrates. Your small intestine moves water from your bloodstream into your GI tract to help break down food. Your small intestine also absorbs water with other nutrients. In your large intestine, more water moves from your GI tract into your bloodstream. Bacteria in your large intestine help break down remaining nutrients and make vitamin K. Waste products of digestion, including parts of food that are still too large, become stool. What happens to the digested food? The small intestine absorbs most of the nutrients in your food, and your circulatory system passes them on to other parts of your body to store or use. Special cells help absorbed nutrients cross the intestinal lining into your bloodstream. Your blood carries simple sugars, amino acids, glycerol, and some vitamins and salts to the liver. Your liver stores, processes, and delivers nutrients to the rest of your body when needed. The lymph system, a network of vessels that carry white blood cells and a fluid called lymph throughout your body to fight infection, absorbs fatty acids and vitamins. Your body uses sugars, amino acids, fatty acids, and glycerol to

build substances you need for energy, growth, and cell repair. How does my body control the digestive process? Your hormones and nerves work together to help control the digestive process. Signals flow within your GI tract and back and forth from your GI tract to your brain. Hormones Cells lining your stomach and small intestine make and release hormones that control how your digestive system works. These hormones tell your body when to make digestive juices and send signals to your brain that you are hungry or full. Your pancreas also makes hormones that are important to digestion. Nerves You have nerves that connect your central nervous systemâ€”your brain and spinal cordâ€”to your digestive system and control some digestive functions. For example, when you see or smell food, your brain sends a signal that causes your salivary glands to "make your mouth water" to prepare you to eat. When food stretches the walls of your GI tract, the nerves of your ENS release many different substances that speed up or delay the movement of food and the production of digestive juices. The nerves send signals to control the actions of your gut muscles to contract and relax to push food through your intestines. What are clinical trials, and are they right for you? Clinical trials are part of clinical research and at the heart of all medical advances. Clinical trials look at new ways to prevent, detect, or treat disease. Researchers also use clinical trials to look at other aspects of care, such as improving the quality of life for people with chronic illnesses. Find out if clinical trials are right for you. What clinical trials are open? Clinical trials that are currently open and are recruiting can be viewed at www.clinicaltrials.gov. The NIDDK translates and disseminates research findings through its clearinghouses and education programs to increase knowledge and understanding about health and disease among patients, health professionals, and the public.

8: Guide to Nutrition and Fitness | InnerBody

This entry was posted on Friday, November 9th, at am and is filed under Human digestive system www.enganchecubano.com can follow any responses to this entry through the RSS feed.

9: Gastrointestinal tract - Wikipedia

The digestive system is a group of organs working together to convert food into energy and basic nutrients to feed the entire body. Food passes through a long tube inside the body known as the alimentary canal or the gastrointestinal tract (GI tract).

Time management books in urdu Count Fontenac by W.D. LeSueur. v. 4. Data Structures, Algorithms, And Applications In C++ Laboratory manual for food canners and processors War-claims of New Mexico. The Physicians Guide to Clinical Research Opportunities An elegiac poem, on the death of that celebrated divine, and eminent servant of Jesus Christ, the late Re The bane chronicles kickass Oceana and other works of James Harrington esq Priory of Cartmel Happy birthday, little one Working Out Your Childs Design The art of jose gonzalez Psychoanalytic Perspectives on Migration and Exile Fallout 3 manual ps3 Microsoft sharepoint designer 2007 tutorial Encyclopedia of technology and innovation management The ultimate reference book Static cling : refusal to accept a changing world Welcome to the house of living ideas Actors Analects (Study in Oriental Culture) Introduction to artificial intelligence rajendra akerkar Rural-urban dynamics Weber spirit e 310 manual Supporting the warfighter NINTH GENERATION 122 Dancers In Daylight Assessment and accountability policy context Brimhall as teacher Job discrimination and education, by P. Blair. Iran and the Rise of its Neoconservatives Jain sanctuaries of the fortress of Gwalior Velcro triangles : elite mobilization of local antidrug issue coalitions John D. McCarthy Thorndike British Favorites Large Print The Lost Trail (Thorndike British Favorites Large Print) Vera : a catalogue of men Form 205 (Zeitschrift Form) Blood upon my lips Laurell K. Hamilton Kamasutra book photos How to pretend youve got freckles Cardiology and neurology