

1: Marijuana Statistics - Cannabis Use Statistics - Drug-Free World

Relevant Facts & Statistics. Up to 98, patients die annually in hospitals due to medical errors. IOM, To Err is Human Report, An estimated million healthcare associated infections occur each year leading to 99, deaths.

According to the Centers for Disease Control and Prevention CDC, type 2 diabetes accounts for about 90 to 95 percent of all diagnosed cases of diabetes in adults. The CDC also gives us the following information: In general Research suggests that 1 out of 3 adults has prediabetes. More than one in every 10 adults who are 20 years or older has diabetes. For seniors 65 years and older, that figure rises to more than one in four. This cost is expected to rise with the increasing diagnoses. In pregnancy and parenting According to the CDC, 4. In up to 10 percent of them, the mother is diagnosed with type 2 diabetes just after the pregnancy. The rest of these women have a 35 to 60 percent chance of developing type 2 diabetes within 10 to 20 years. This risk decreases if the woman leads an active lifestyle and maintains an ideal weight. A child has a 1 in 7 chance of developing diabetes if one parent was diagnosed before age 50. If the parent was diagnosed after age 50, the child has a 1 in 13 chance. In ethnic groups Certain racial or ethnic groups have higher rates of prediabetes and type 2 diabetes. The risk is higher even after adjusting for other factors. In the United States, type 2 diabetes is more prevalent for certain groups than for Caucasians. Non-Hispanic Blacks have a 1 in 3 chance of being diagnosed with type 2 diabetes. Hispanics have a 1 in 4 chance. Currently, the rates of diagnosed diabetes are: One in three are currently diagnosed. In children Type 2 diabetes is rare for children of all racial and ethnic backgrounds. Still, it has higher rates in many minority groups than in Caucasians. This is particularly true for Asian Pacific Islanders ages 10 to 19 years. Across all ethnic groups though, type 2 diabetes is increasing around the age of puberty. Age The risk of developing type 2 diabetes increases with age. The number of children diagnosed with type 2 diabetes is growing due to more overweight youth. Still, it is much less common in children and young adults than it is in older people. For example, consider data from the CDC: Among children 10 years and younger, the rate of new cases in 2010 was 0. For ages 10 to 19 years, this rate was 11 per 100,000. According to one study, this is expected to shift to adults ages 60 to 79 by 2030. Worldwide Type 2 diabetes is on the rise worldwide. The International Diabetes Federation reports that more than 400 million people were living with diabetes as of 2014. In 2014, diabetes caused an estimated 1.6 million deaths. More than eight of every 10 of them occurred in low- and middle-income countries. In developing nations, more than half of all diabetes cases go undiagnosed. WHO anticipates that worldwide deaths from diabetes will double by 2030. Prevention Both type 2 diabetes and its side effects can often be prevented or delayed. The most cost-effective methods include getting regular physical activity and maintaining a healthy weight. This means following a healthy diet plan. Regular visits to a healthcare provider are also essential. Medication may be necessary as well. Catching complications early allows for intervention, education, and referral to a specialist when needed. Weight Keeping a healthy weight is important. The Diabetes Prevention Program found that weight loss and increased physical activity reduced the chance of prediabetes turning into type 2 diabetes by 58 percent. For people 60 years or older, the reduction was 71 percent. For overweight people, losing five to seven percent of body weight through exercise and healthy eating could prevent the onset of type 2 diabetes. Monitoring Get regular checks of your blood cholesterol levels, blood pressure, and blood sugar levels. Work to achieve and maintain healthy levels of each. Having healthy levels of these three indicators greatly reduces your risk of diabetes. Medication The drug metformin was found to reduce the risk of diabetes onset by 31 percent, particularly in younger and heavier prediabetic adults. Complications and effects Problems from type 2 diabetes are common and can be severe. People with diabetes have twice the risk of death of any cause compared to people of the same age without diabetes. In 2014, diabetes was listed as the seventh leading cause of death in the United States. The contribution of diabetes to death may be underreported on death certificates. Side effects of type 2 diabetes can include:

2: Top 20 Facebook Statistics - Updated October

Women report attempting suicide about three times as often as men The main reason is depression and being treated like nothing all day is one of the main causes.

Although there is no cure as of for schizophrenia, the treatment success rate with antipsychotic medications and psycho-social therapies can be high. If the appropriate level of investment is made in research, it has been estimated that a cure for schizophrenia could be found within 10 years by the year Traditionally, however, schizophrenia has only received a small fraction of the amount of medical research dollars that go into other serious diseases and disorders see below - Schizophrenia Research - for more information. There are over 15 new medications for the treatment of schizophrenia currently in development by different biotech and pharmaceuticals companies source: Special report on New Schizophrenia Medications. Additionally, there are many new and improving psycho-social treatments and cognitive therapies for schizophrenia that are being rolled out with significant success. Together these new treatments hold significant promise of a better life in the future for people who have schizophrenia. Check here for the latest news coverage of these new therapies. Schizophrenia is a devastating disorder for most people who are afflicted, and very costly for families and society. Already researchers have identified several of the key genes - that when damaged - seem to create a predisposition, or increased risk, for schizophrenia. The genes, in combination with suspected environmental factors - are believed to be the factors that result in schizophrenia. These genes that seem to cause increased risk of schizophrenia include the DISC1 , Dysbindin, Neuregulin and G72 genes, but it has been estimated that up a dozen or more genes could be involved in schizophrenia risk. See our Schizophrenia Genetics news for the latest information in this fast-moving area. One of the most positive areas of schizophrenia research today is in the area of identification of early risk factors for development of schizophrenia, and prevention of schizophrenia in those people who are predisposed to the disease. For more information see Schizophrenia Causes and Prevention. One of the most easily avoided factors linked to development of schizophrenia are brain-altering street drugs like marijuana and cannabis. Schizophrenia is a disease that typically begins in early adulthood; between the ages of 15 and Men tend to get develop schizophrenia slightly earlier than women; whereas most males become ill between 16 and 25 years old, most females develop symptoms several years later, and the incidence in women is noticeably higher in women after age The average age of onset is 18 in men and 25 in women. Schizophrenia onset is quite rare for people under 10 years of age, or over 40 years of age. The diagram below demonstrates the general "age of onset" trends for schizophrenia in men and women, from a representative study on the topic. A typological model of schizophrenia based on age at onset, sex an familial morbidity. The diagram below represents the differences in needs for hospitalizations, at different ages, for men and women who have schizophrenia. As shown in the diagram, schizophrenia tends to hit younger males hardest, with a much higher rate of hospitalization required between the ages of 15 and Hospital data from Canada. The earlier that schizophrenia is diagnosed and treated, the better the outcome of the person and the better the recovery. Yale University Medical School Schizophrenia occurs in all societies regardless of class, colour, religion, culture - however there are some variations in terms of incidence and outcomes for different groups of people. Robin Murray Schizophrenia Ranks among the top 10 causes of disability in developed countries worldwide source: The global burden of disease: The Prevalance Rate for schizophrenia is approximately 1. NIMH or, in other words, at any one time as many as 51 million people worldwide suffer from schizophrenia, including; 6 to 12 million people in China a rough estimate based on the population 4. Another way to express the prevalence of schizophrenia at any give time is the number of individuals affected per 1, total population. In the United States that figure is 7. This means that a city of 3 million people will have over 21, individuals suffering from schizophrenia. The number of people who will be diagnosed as having schizophrenia in a year is about one in 4, About , people in the United States will be diagnosed with schizophrenia this year. Anti-psychotic medications are the generally recommended treatment for schizophrenia. If medication for schizophrenia is discontinued, the relapse rate is about 80 percent within 2 years. With continued drug treatment, only about 40 percent of recovered patients will suffer relapses. NIMH

Wide variation occurs in the course of schizophrenia. Some people have psychotic episodes of illness lasting weeks or months with full remission of their symptoms between each episode; others have a fluctuating course in which symptoms are continuous but rise and fall in intensity; others have relatively little variation in the symptoms of their illness over time. At one end of the spectrum, the person has a single psychotic episode of schizophrenia followed by complete recovery; at the other end of the spectrum is a course in which the illness never abates and debilitating effects increase. Recent research increasingly shows that the disease process of schizophrenia gradually and significantly damages the brain of the person, and that earlier treatments medications and other therapies seem to result in less damage over time source: After 10 years, of the people diagnosed with schizophrenia:

3: PTSD Statistics | PTSD United

The Last Hundred years of Racism, Nationalism, Tribalism, and the Caste System. Despite the "progress" in culture, science and technology, racism, tribalism, nationalism, colonialism and the caste system have been mainly responsible for the death of over 62 million human beings in the last years.

Occasionally you will find websites and articles that reference a few key studies, but they are few and far between outside of university or clinical journals and papers. Bulimia Mortality Rates 3. Binge Eating Disorder Mortality Rates 5. Female Eating Disorder Prevalence Rates. A Summary of Issues, Statistics and Resources, American Journal of Psychiatry, 7 , American Journal of Psychiatry , Hoek and van Hoeken, Review of the prevalence and incidence of eating disorders. International Journal of Eating Disorders, The National Institute of Mental Health: The prevalence and correlates of eating disorders in the National Comorbidity Survey Replication. Lifetime prevalence of mental disorders in U. Weight-related behaviors and concerns of fourth-grade children. Journal of American Dietetic Association, National Eating Disorders Association website. Eating Disorders and Their Precursors. Three year follow up of participants in a commercial weight loss program: Archives of Internal Medicine. The spectrum of eating disturbances. International Journal of Eating Disorders, 18 3 , Prevalence of eating disorders in elite athletes is higher than in the general population. Clin J Sport Med. Sheri Murphy March 24, at 9: Intend to read further but cannot do it right now. I live in FL but am willing to travel in the u. Courtney March 27, at 9: Feel free to contact these centers directly to see if they will accept your insurance. Thank you for reaching out and best of luck in your recovery!

4: Eating Disorder Statistics for Anorexia, Bulimia, Binge Eating

Facts and statistics about autism: About 1 percent of the world population has autism spectrum disorder. (CDC,).

Strategic Insights The Top 20 Valuable Facebook Statistics - Updated October The Top 20 Valuable Facebook Statistics – Updated October Facebook represents a huge potential market for your social media efforts, but it is becoming increasingly difficult to stand out from the crowd. The following statistics highlight some relevant Facebook facts and can ultimately help you to navigate it better, increasing your return on investment ROI and leading to greater marketing success. The third quarter demographic update was provided by Facebook on October 30, The information below includes the most current information provided by Facebook. We will continue to keep you posted as soon as the information is updated directly from Facebook. In case you had any lingering doubts, statistically, Facebook is too big to ignore. Please note that this was the last official division received in IR press releases of a delineation of mobile DAU from other metrics. Mobile advertising revenue is reported and according to Facebook, it represented approximately 91 percent of advertising revenue for Q2 up from 87 percent in Q2 A huge and vastly growing number of Facebook users are active and consistent in their visits to the site, making them a promising audience for your marketing efforts. On average, the Like and Share Buttons are viewed across almost 10 million websites daily. Search Engine Journal The Takeaway: Age 25 to 34, at Emarketer What this means for you: Five new profiles are created every second. Your potential audience on Facebook is growing exponentially. Sorry for the confusion. To dig a little deeper take a look at this study which does a much better job at explaining the nuances – Source: Highest traffic occurs mid-week between 1 to 3 pm. How this can help you: You have the potential to reach more consumers and drive higher traffic to your site during peak usage times, but people may be more likely to be more engaged in the evenings. This statistic may be a factor when you are planning social communication scheduling. Also consider that Facebook has a global audience, so you may want to plan around the time zone of your key market. Again, use this information to determine when to post in order to optimize your social media marketing efforts. There are 83 million fake profiles. Nothing is perfect, so always remain thoughtful and strategic in your efforts. Also, fake or not, these are still potential consumers. There are various reasons for fake profiles, including professionals doing testing and research, and people who want to segment their Facebook use more than is possible with one account. Photo uploads total million per day. Average time spent per Facebook visit is 20 minutes. Infodocket What this means for you: You could have a short time period to make your impression, so use it wisely with relevant, interesting and unique posts and offers in order to get the most return on your efforts. Every 60 seconds on Facebook: The Social Skinny The Implication: Again, there are a lot of engaged and active users, but also a huge amount of information competing for their attention, so quality and strategy on your part matter. The Social Skinny What this means for you: Facebook is important to these users, and potentially, if done correctly, so is the content you post on it. One in five page views in the United States occurs on Facebook. Infodocket How this helps you: This is a huge market on the web; if you use social media marketing efforts on Facebook well, you could have huge returns to show for it. State of Inbound Marketing The Takeaway: The key is to use Facebook marketing correctly and make sure that your efforts stand out from the crowd. Facebook marketing has transformed how business is conducted, and its use by local businesses to extend their markets continues to explode. Thought to take with you: Facebook estimated that 2. We found a significant value in this article and guide by Facebook on how to see the impact of your marketing efforts click here to view. Let us know if there is anything we can do to help you and your organizational digital marketing efforts.

5: Relevant Facts & Statistics

11 Facts About World Hunger Welcome to www.enganchecubano.com, a global movement of 6 million young people making positive change, online and off! The 11 facts you want are below, and the sources for the facts are at the very bottom of the page.

Alcohol abuse is one of the most common and costly substance abuse disorders in the United States. Alcohol-related deaths are the third leading preventable cause of death in the US: This is significantly down in the 10 year period beginning in , which saw 17, vehicle deaths attributed to alcohol consumption. Between and , there was a substantial decline in use of alcohol Cigarette smoking by youth is currently at the lowest rate since the youth drug abuse survey began: Illicit drug use by youths is down from a peak of Awareness of harm increased while perceived ease of availability decreased, suggesting that high school students are becoming more aware of the risks while simultaneously having less access to illicit drugs. While youth use of alcohol and street drugs has declined, it has not been matched by a decline in prescription drug abuse. ER visits due to misuse or abuse of prescription drugs more than doubled from , making it responsible for more ER visits than all illicit drugs combined. Visits involving non-medical use of pharmaceuticals has skyrocketed from , visits in to 1., in , an increase of The largest increases, by substance: Only ecstasy saw a similar rate of increase in ER visits over the same time period when compared to illicit drugs. A Snapshot of Historical Drug Trends brought some progress in the fight against drug abuse. Drug Enforcement Administration presented statistics that demonstrated a substantial dip in drug use among teens in virtually every substance category. This reduction in the use of illegal substances by youth meant police could allocate their enforcement resources to other age groups, while prevention programs could claim credit-and funding-after a successful decade of outreach to young people. The use of amphetamines including misused prescription medication such as Adderall and Ritalin increased among high school seniors to a level of 8. While that statistic alone could have been influenced by several factors, over-scheduling and intensified academic competition were prime suspects in this rise. Among high school students, OxyContin use for non-medical purposes neither rose nor fell. The leveling off suggests that educational programs might have had some moderate success but the fight was nowhere near finished. Drug Abuse Statistics Quiz question 2 More telling than individual years is evaluating the numbers over a decade. Analyzing DEA arrests throughout this timeframe, we saw a steady downward trend from a high of 39, in to 30, in Other variables can affect the decision to take illicit drugs. The incidence of drug use in this group was more than double that of the group that was not currently treated for mental illness “ This data raises the importance of quality dual diagnosis treatment. In any case, the numbers suggest that mental illness may leave its victims more susceptible to destructive drug use. The decade ending with saw a drop in parents who were proactive in communicating an anti-drug message to their children. Slightly more than 30 percent of surveyed parents admitted to avoiding the subject altogether. Further troubling drug prevention advocates were the parents who did not monitor the use of over-the-counter drugs found in the medicine cabinet. Although one in ten teens confessed to using cough syrup to get high, only half the parents were paying attention to the amount consumed. Drug Abuse Statistics Quiz question 5 Drug Abuse Statistics Quiz question 6 Conclusion In the past 30 years, statistical understanding of drug and alcohol abuse has helped make great strides in the prevention and treatment of substance abuse. However, the rise in a prescription drug epidemic combined with a decrease in perceived harm of certain classes of drugs means deaths from drug overdose have been rising steadily and are now the leading cause of injury death in the U. Every day in the United States, people die as a result of drug overdose, and another 6, are treated in emergency departments ED for the misuse or abuse of drugs. Nearly 9 out of 10 poisoning deaths are caused by drugs. Americans are dying due to drug abuse more frequently than ever before, in part because only 1 in 10 people with a substance abuse problem receives the help they need.

6: Facts and Statistics - Autism Society

The following statistics highlight some relevant Facebook facts and can ultimately help you to navigate it better, increasing your return on investment (ROI) and leading to greater marketing success. The third quarter demographic update was provided by Facebook on October 30,

Accurate bipolar disorder statistics reveal the truth about bipolar: Remember “managing bipolar disorder is easier when you have accurate information about bipolar. What the bipolar statistics show us is that bipolar disorder is more common than many realize. BUT” figures on bipolar disorder vary from source to source: Almost 10 million people will develop the illness sometimes during their lives. About half of these will never receive the correct diagnosis or treatment. Reminder Bipolar disorder statistics from the World Health Organization WHO , indicate bipolar disorder is the 6th leading cause of disability in the world. And for both India and China, each have somewhere between 12 “ 15 million people who are bipolar! Who gets bipolar disorder? The median age of onset for bipolar disorder is 25 years NIMH. Bipolar is an equal opportunity disorder, affecting people of all races, ethnic groups and socio-economic backgrounds. Also according to NIMH, it is an inherited disease. More than two-thirds of people with bipolar disorder have at least one close relative with the illness or with unipolar major depression. Despite the stereotypes, men and women are affected in equal numbers. However, research does show some differences in how the disorder develops: Journal of Clinical Psychiatry, 58, [Suppl. The bipolar diagnosis disaster Other DBSA bipolar disorder statistics from shows that people with the disorder suffer through as long as 10 years of coping with symptoms before getting diagnosed accurately. Only 1 person in 4 receives an accurate diagnosis in less than 3 years! This high incidence of delayed diagnosis and misdiagnosis may explain why the bipolar disorder statistics around suicide are so appalling: Suicide is more common in bipolar depression than in unipolar major depression, panic disorder, or even schizophrenia. Good news on bipolar! Surgeon General Report for Mental Health Nearly 9 out of 10 consumers with bipolar disorder are satisfied with their current bipolar medication s , although side effects remain a problem. DBSA, Consumers with bipolar disorder who report high levels of satisfaction with their treatment and treatment provider have a much more positive outlook about their bipolar illness and their ability to cope with it. DBSA, Bipolar statistics show the picture for people adhering to treatment plans, especially mood stabilizers, as actually very positive! In particular, bipolar statistics show that combining psychotherapy with medications such as lithium is especially effective: Bipolar Health Statistics No discussion on bipolar disorder statistics is complete without considering the high levels of chronic physical illness that all too often accompany bipolar disorder. In February , the medical journal Psychiatric Services published findings showing that bipolar disorder can DOUBLE your risk of early death from a range of medical conditions “ including those that can be controlled through diet and exercise. Did you know that: This is the highest percentage for any psychiatric illness. People with bipolar disorder are 3 times more likely to develop diabetes than are members of the general population. People with bipolar disorder are 1. It does NOT have to be this way! These particular bipolar disorder statistics can be radically improved. There is a wealth of research proving that simple diet and lifestyle changes can improve both your mental AND physical health.

7: Flint Water Crisis Fast Facts - CNN

Learn current facts and statistics about ADHD. Attention deficit hyperactivity disorder (ADHD) is a neurodevelopmental disorder, that most often occurs in children. Symptoms of ADHD include.

8: Addiction Facts and Statistics | HealthyPlace

Important facts, numbers, and statistics include: The annual cost to society of anxiety disorders is estimated to be significantly over \$ billion, often due to misdiagnosis and under treatment. This includes psychiatric and non-psychiatric

RELEVANT FACTS AND STATISTICS pdf

medical treatment costs, indirect workplace costs, mortality costs, and prescription drug costs.

9: Amazing Social Media Statistics and Facts | Brandwatch

Schizophrenia Facts and Statistics Schizophrenia is a serious disorder of the mind and brain but it is also highly treatable. Although there is no cure (as of) for schizophrenia, the treatment success rate with antipsychotic medications and psycho-social therapies can be high.

RELEVANT FACTS AND STATISTICS pdf

The Philhellenes View of the World 237 The Tastes and Tales of Moillili Blooms how to write about Alice Walker Internet scavenger hunt worksheet Michelin Vosges, France Map No. 4088 Recording, archiving, and podcasting options Barbie Birthday Party Confrontacion De Agravios Slight Confronting, 2006 Post Election (El Dedo En La Llaga) Vol. 17. March 1, 1781-August 31, 1781 Antiquarian and the myth of antiquity The principles of engineering materials Masterpieces of the Vatican. South Asias Christian Outcastes Schools, families, friends Smoothies and Other Blended Drinks (Ryland, Peters and Small Little Gift Books) Webers Art of the Grill Deck Between the big events Identification Guide to North American Birds part I History of kaduna state I am Janes anaphylactic shock Say it in Swedish Research questions on rivers water polluted Beginners guide to Tajiki Le festin camille sheet music Camp And Field Life Of The Fifth New York Volunteer Infantry Christian liberty : the Puritans in Britain and America Energy secrets with tesla patents Knowing God (From Joy Dawson) The Doctrine and Practice of Yoga Toyota 7k e engine manual LX. To the Same, Against Certain Heads of Abaelards Heresies 259 A parents guide to getting kids out of the family bed Journey through the secret life of plants Magnetic Video (2 pages): Introducing our newest videocassette / Unity of Fichtes doctrine of knowledge How to prepare an operating budget Bureaucracy and revolution in Eastern Europe Introduction to prince2 book Liquid-Liquid Interfaces Theory and Methods The birth of financial DNA (r)