

1: ABTCO - Definition of Damage

Note: Citations are based on reference standards. However, formatting rules can vary widely between applications and fields of interest or study. The specific requirements or preferences of your reviewing publisher, classroom teacher, institution or organization should be applied.

Have emailed and corporate with no luck. They will tell you till blue in the face that someone will contact and they never do. Bad water and mold issues behind properly installed Hardie. Wrote to James Hardie and nothing was done. I have had the house painted several times and have had to replace several boards because once water gets in it turns to mush. I would never recommend any products from this company as they do not stand behind them. I went with this product because they claimed that paint would last 15 years give or take. It would have been ok if it was just peeling paint after years but the product absorbs water like a sponge and falls apart. Now I am faced with having to reside my home. Will stay as far away from James Hardie Products as possible. A very harsh environment. That was in Last year large patches of the siding began turning from Khaki brown to green. After sending someone to look at the property I heard nothing from James Hardie. Now two months later I called to find out the status of my claim, only to be told they were going to do nothing! Which apparently also includes not letting me know that. Clearly their product is a waste of money, as it is not a premium product. It is , and parts of the siding have decayed, rotted, fallen off, split and now creating a whole new set of problems. We did buy the planks primed and according to the "warranty" had it installed by a licensed contractor. We paid a fortune for this product but definitely not worth 1 penny of the cost. Vinyl is the best feasible, long term, no hassle way to go. Helpful 49 people found this review helpful G. It only has 1. The seams are tough because a stud is 1. Bottomline Hardie siding lasts. Spend a little more money and time and maybe paint it again in 20 or 30 years or get the other stuff and paint it every five and replace it in 20 or 30 years.

REVIEW OF THICKNESS SWELL IN HARDBOARD SIDING pdf

2: Exterior: Product Selection FAQs - Sherwin-Williams

concerned about thickness swell of hardboard siding. Keywords: Hardboard siding, thickness swell, process variables January Carll, Charles G. Review of thickness swell in hardboard sidingâ€™ effect of processing variables. Gen. Tech. Rep. FPL-GTR Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory. 10 p.

If the product fails to perform, the purchasers will be compensated for repairs or replacement of damaged product, including both labor and materials, subject to agreed upon exclusions and deductions. What is Qualifying Damage? Frequently Asked Questions from section 1. Waviness or apparent warping, buckling or bowing of Siding is not considered to constitute Damage if such is due to the Siding conforming to the curvature of misaligned framing; e. Damage does not include i intentional, reckless or negligent physical damage to Siding unrelated to installation or maintenance or weather caused directly or indirectly by a Claimant or other Person; or ii conditions requiring routine painting, washing, caulking or similar maintenance; or iii damage to Siding to the extent resulting from natural disaster including but not limited to, fire, hurricane, flood, earthquake, earth movement, or other similar force majeure events. Customers can also visit the website at www.CertainTeed.com. CertainTeed fiber cement siding Certaineed Fiber Cement Siding now owned by Allura has reached a class action settlement. The settlement is intended to resolve disputes between the parties about the performance of the Siding. This proposed class action settlement covers the entire United States. Contact Boise-Cascade with warranty questions: If your Champion siding was installed between and , and you have a warranty claim, then call the Masonite Warranty Dept. If your siding was installed between and , then call the Georgia Pacific Warranty Dept. Georgia-Pacific hardboard siding The class action lawsuit against Georgia-Pacific hardboard siding products is over. Georgia-Pacific had two brands involved in class action suits: Jarrett and Catawba siding. Jarrett siding that was manufactured at the Jarratt, Va, plant between and The Catawba Siding was lumped into the class action because it too is a hardboard siding. According to Georgia Pacific Representatives this siding did not have the defects found in Jarrett siding. The Catawba plant was closed December The deadline for filing a claim pursuant to the nationwide GP Catawba and Jarret hardboard siding class action settlement was January To find out if a property had been opted in for a future claim call Eligible claimants had until Jan 1, , to file for compensation. If you suspect that your home has this siding and that it has failed, you still may be able to file a warranty claim by calling Georgia-Pacific at Jefferson Smurfit hardboard siding The class action suit against Jefferson Smurfit is over. Cladwood requires a continuous vapor barrier of one perm or less on the warm side of the wall to which it is applied. Particleboard core includes planer shavings and waste wood. Overlay contains waste newsprint. Siding has a year warranty. To request a warranty claim write to:

3: HARDIPLANK OR MASONITE SIDING? | Fine Homebuilding | Breaktime

Review of thickness swell in hardboard siding: effect of processing variables / Charles G. Carll.

4: Masonite Siding Settlement Claims Assistance

Alas, there is no such thing as Masonite siding anymore. Masonite got out of the siding business years ago. There are one or two remaining suppliers that make good tempered hardboard siding, but the generic "masonite" siding is of poor quality.

5: Top 57 Reviews and Complaints about James Hardie Siding

of the drip edge (residual thickness swell, or RTS). ANSI/AHA A allows a maximum RTS of 20%. Published measured values for commercial hardboard siding.

6: How to tell if your home has hardboard siding

Relative frequency of the two failure modes was related to residual thickness swelling (RTS) value of the board, as identified by the substrate weatherability test procedure. Lower RTS values were associated with lower relative frequency of failure and lower relative frequency of more intense failure.

7: Siding Class Action Lawsuits

RESIDUAL THICKNESS SWELL MEASUREMENTS We performed residual thickness swell (RTS) tests on 80 samples of each siding class according to section , "Weatherability of Substrate," of standard ANSI/AHA A (AHA). Specimen edges were unprimed. Four specimens were cut from each of the 20 siding boards as shown in Figure 1.

8: The Pros and Cons of Aluminum Siding - United Home Experts, MA, NH

Not all hardboard siding is manufactured by Masonite Corporation. The Masonite name is Thickness swell in excess of 15% of the maximum ANSI/AMA

REVIEW OF THICKNESS SWELL IN HARDBOARD SIDING pdf

Nightsongs From Paradise Project management skillsets Blueprints cardiology Real life advanced teachers book Foundations of earth science 6th edition The top 10 countdown to having a new teenager by Friday. Dietary isothiocyanates: roles in cancer prevention and metabolism in rodents and humans Photoshop cc learning book Assaulting the body : cannibalism The Boxing Register (3rd ed) Fallout 4 official digital strategy guide Northrop Fryes Writings on Education (Collected Works of Northrop Frye) Seoul (Times Travel Library) Indigenous customs in childbirth and child care Pipe cleaners gone crazy Fumbling with a Flyrod Teens and Computers. Whats a Parent to Do? Electrical/electronics technology Fighting off attackers Busy peoples super simple 30-minute menus Indian Ocean adventure. Rusty, nails, and mojo Leatherstocking Ghosts The enchanted Desna Two kinds of righteousness He would lie when it was necessary STUDYING POPULATIONS Something Special (Red Feather Book) 150 movies you should die before you see Twist of the wrist. Crab apples piano ragtime filetype The case of the Spanish stamps Scene 1 : Eastern shore of the Lake of Lucerne The Brandywine tradition Notes on Canine Internal Medicine Systems of continuing education Is genius generic? The Anchor guide to orchestral masterpieces Ritual for small churches Auerbach buyers guide to minicomputers